# **Jacobsen**<sup>®</sup>

## **Product Information Declaration**

## **Vogue Flauti Range**

### **Range Description**

This Jacobsen Product Information Declaration (PID) applies to the ceramic & porcelain tiles range sold by Jacobsen as Vogue Flauti

### **Identifiers**

X Over Existing Floor

See individual sku codes under identifiers

### **Scope and Limitations of Intended Use**

<b>✓</b>	Residential	<b>✓</b>	Commercial	<b>✓</b>	Interior	×	Exterior
×	High Traffie	×	Low Traffic	~	Exposed Sunlight	<b>✓</b>	Wet Areas
×	Antistatic Environment	×	Food Prep Areas	×	<del>Clean Room</del>	×	With Wheels

### R

### **Stability**

X Ramp/Entry

Relevant NZBC Clause	Product Performance
B2.3.1(c)	10 years
Residential	Suitable
Commercial	Wall only
Industrial	-

X Under Floor Heating

### **Protection from Fire**

Relevant NZBC Clause	Product Performance
C4.3	
C4.3 (a) Wall	Naturally Fire Resistant
C4.3 (b) Floor	Naturally Fire Resistant

### D

### Access

Relevant NZBC Clause	Product Performance
D1.3.3	
Level Surface (Wet)	-
Level Surface (Dry)	Acceptable Solution
Suitable for food prep	-

### Е

### **Moisture**

Relevant NZBC Clause	Product Performance		
E3.3.3	Impervious and easily cleaned		
E3.3.5	Impervious and easily cleaned		
E3.3.6	Water resistant		
NZBC/AS1	-		

## F

### **Safety of Users**

Relevant NZBC Clause	Product Performance
F2.3.1	No VOC's
	Does not encourage bacterial growth
	Phthalate-free
Indoor Air Quality	Optimal

## G

### **Services and Facilities**

Relevant NZBC Clause	Product Performance	
G3.3.2 (b)	Water resistant	
G6.3.2	-	

## Н

### **Energy Efficiency**

Relevant NZBC Clause	Product Performance
Thormal Pating	Dace

## X

### **Warnings and Bans**

Building Act 2004	Product Performance		
Section 26	-		

### **Supporting Documents**

All supporting documents can be found on the Jacobsen website, <u>jacobsen.co.nz</u> or by this QR code



Page 1 of 3 V:160524

# Product Information Declaration Vogue Flauti Range

### B2 3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c)

5 years if:

- 1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
- 2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

### C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

### D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

### E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

### E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

### E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

### G3.3.2

Spaces for food preparation and utensil washing shall have:

### (b

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

### G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

### G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

#### H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

## **Note**

It is expected that **Vogue Flauti** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

Page 2 of 3 V:160524

# **Product Information Declaration Vogue Flauti Range**

### **Identifiers**

This JPID covers all colours from Vogue Flauti including:

Flauti White Gloss 300x400mm 22265 Flauti White Matt 300x400mm 22264 Flauti Green Matt 300x400mm 22263 Flauti Green Gloss 300x400mm 22260 Flauti Pewter Gloss 300x400mm 24228 Flauti Steel Gloss 300x400mm 23269 Flauti Brick Gloss 300x400mm 24123 Flauti Almond Gloss 300x400mm 24122 Flauti Pewter Matt 300x400mm 24227 Flauti Steel Matt 300x400mm 24213 Flauti Brick Matt 300x400mm 24229 Flauti Almond Matt 300x400mm 24212

### **Sustainability**

Rating System	Rating	Product Performance	
Green Star Design &	Credit 12	-	
As Built NZ (V1)	Credit 20	1 Point	
	Credit 21	Sustainability Factor (SF) = 0.75	
Green Star	Credit 13	-	
Interiors NZ (V1)	Credit 20	1 Point	
	Credit 21	Sustainability Factor (SF) = 0.75	
Green Star Performance NZ (V1)	Credit 21	1 Point	
Homestar V5	HC 7	1 Point	
	EN 3	1.5 Points	
Homestar V4	Mat-1	2 Points	
	Mat-2	1 Point	
Environmental Product De	eceleration (EPD)	Yes	
Embodied Carbon Emission Data		10.5 kgCO2e / m2 (Cradle to Gate)	

### **Environmental Credentials**













## **Jacobsen®**

Jacobsen 41D Morrin Road, St Johns, 1072 0800 800 460 jacobsen.co.nz sales@jacoben.co.nz

NZBN:

9429040403328

VOGUE

Product Manufacturer: **Vogue** Country of Origin: Italy

Page 3 of 3 V:160524