



Jacobsen brings you
Recycled PET Cushion backed Carpet Tile
EcoSoft[®] Stock Programme

Jacobsen[®] | **Carpets Inter**[®]

Talk to one of our experts, or visit our website:

0800 800 460 | customer.services@jacobsen.co.nz | jacobsen.co.nz




8 MILLION
METRIC TONS OF
PLASTIC
ENTERS THE OCEAN
FROM THE LAND
EACH YEAR



EcoSoft® marks a new era in the development of high-performance and environmentally friendly carpet tile cushion backing.


Natural spring water may be good for your health, but the bottles themselves threaten our environment by swallowing landfill space and increasing air-pollution from incineration. Uncontrollable volumes of plastic waste continue to flow into our oceans every second! EcoSoft®, our established high performance carpet cushion backing, is made from 80% post-consumer material reengineered from discarded drinking water bottles plus 5% post-industrial recycled PET. So you can breathe and walk with ease.

If things continue as is... by 2050
there will be more
PLASTIC
than



in the
OCEAN

**SUSTAINABILITY
CAMPAIGN 2020**



To date EcoSoft™ has recycled over 750 million PET bottles from polluting our planet... Be a part of this mission!

Environmentally Recyclable Materials

Soft to the step

100%



Soft on the environment

SAY **NO** TO
PLASTIC BOTTLES



**We will
RECYCLE OVER
1,000,000,000
discarded
PLASTIC BOTTLES
by 2025**

EcoSoft® by Carpets Inter®



Sustainability Awards

Winner

Waste Elimination
Carpets Inter EcoSoft® carpet tiles

Over 150 projects, people and products were nominated for Australia's 'Sustainability Awards' organized by Architecture & Design and In Design Media Asia Pacific Magazine. All nominees exhibited a high caliber of design that choosing the finalists was an arduous task even for the highly experienced jury. After careful and deliberate consideration, Carpets Inter's EcoSoft back modular Carpet tile manufactured from recycled Plastic Bottles was selected as the unanimous winner of the 'Waste Elimination' category. The award recognizes Carpet Inter continued efforts to provide leading Architects and Interior Design practices with fit for purpose sustainable product solutions, suitable for WELL Buildings in many appealing styles.



SGBC TÜV SÜD PSB
LIC NO. : 00148G

Leader



EcoSoft®

Environmentally Friendly Cushion Backing
Recycled and Recyclable Materials

EcoSoft™




EcoSoft marks a new era in the development of high performance and environmentally friendly carpet tile cushion backing.



EcoSoft™ is the next generation of Carpet Tile backing that puts millions of discarded water bottles to a very good use.

Sustainable Performance and Value

EcoSoft is made from 80% post-consumer material reengineered from millions of discarded drinking water bottles, plus 5 to 10% post-industrial recycled PET. This environmentally friendly backing not only meets all the stringent performance criteria required for a carpet tile, but consistently outperforms conventional PVC and bitumen hard back, as well as urethane cushion back, in terms of durability, underfoot comfort, acoustical propensity and indoor air quality. EcoSoft uses roughly 50 x 550 ml recycled PET bottles for every square meter of product.



We will RECYCLE OVER 1,000,000,000 discarded PLASTIC BOTTLES by 2025

EcoSoft™ Outstanding Features

- > Superior Acoustical Propensity - outperforms hardback tile by 150% to 175%
- > Ergonomic – Enhanced Underfoot Comfort
- > Thermal Conductivity - Insulation Cold and Heat
- > CO² reduction of light weight shipped into New Zealand
- > Reduced Installation Time - saving floor preparation time and cost
- > 100% recyclable - 85% recycled content backing
- > Suitable for installation onto wet slab up to 99% RH
- > Excellent Dimensional Stability BS EN 986 less than 0.15%
- > Cushioning reduces wear and tear, and fiber crush
- > Lightweight Benefits - Occupational Health & Safety
- > ACCS Environmental Certification Scheme Level 4

In view of the superior properties outlined above, carpet tiles with EcoSoft backing are the ideal choice for intensive use locations including commercial offices, malls, convention centers, education facilities, airports, hotels, and public spaces.

Visit the link for more details of our position papers - <https://carpetsinter.com/ecosoft>

EBB

Upstream Collection

The EBB of water continues as it flows from the smallest springs and creeks to the flowing rivers and oceans around the world. Going against the current is often the slower and harder path to take.

Upstream has been engineered to highlight how for more than a decade, Carpets Inter has diverted plastic waste from becoming part of this essential movement of water around our planet.

UPSTREAM 'EBB' ECOSOFT, MANUFACTURED FROM MILLIONS OF RECYCLED PLASTIC BOTTLES PROVIDES SUPERIOR NOISE REDUCTION.





Upstream - EBB
EB 01 Spring
EB04 Estuary



Upstream - EBB
EB02 Creek
EB04 Estuary
EB05 Ocean



Upstream - EBB
EB01 Spring
EB03 River




Upstream - EBB
EB04 Estuary
EB05 Ocean



Upstream - EBB
EB01 Spring
EB02 Creek

Carpet Tile
EcoSoft Carpet Tile Stock Program

Upstream - EBB




Spring EB 01 Creek EB 02 River EB 03 Estuary EB 04 Ocean EB 05

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft [®] Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	Stain and Soil Protection
TUFTING GAUGE	1/12 inch	TILE SIZE	25 x 100 cm.
PILE HEIGHT	3.0 - 5.0 mm.	BACKING OPTIONS AND SIZE	Contact your sales representative for information
TOTAL CARPET WEIGHT	2,820 gm/sq.m. for EcoSoft [®]		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.






Upstream Collection

EBB 

ESTUARY WASH

EBB-Wash adds a splash of color to the Upstream Collection and is created to highlight how Carpets Inter is succeeding in preventing plastic waste from polluting our oceans and rejuvenating the natural habitats of our marine life.



EBB-WASH ADDS A 'WASH' OF COLOUR OVER THE UPSTREAM EBB COLLECTION



EBB - Estuary Wash
EB44 Estuary Sunset

Flatlands
FL22 Kedu



EBB
EB03 River
EB04 Estuary

EBB - Estuary Wash
EB43 Estuary Sand
EB44 Estuary Sunset



EBB
EB04 Estuary

EBB - Estuary Wash
EB41 Estuary Azure
EB43 Estuary Sand



EBB
EB04 Estuary
EB05 Ocean

EBB - Estuary Wash
EB41 Estuary Azure
EB43 Estuary Sand



EBB
EB04 Estuary
EB05 Ocean

EBB - Estuary Wash
EB41 Estuary Azure
EB42 Estuary Emerald
EB43 Estuary Sand
EB44 Estuary Sunset



EBB - Estuary Wash

- EB41 Estuary Azure
- EB42 Estuary Emerald
- EB43 Estuary Sand

Flatlands

- FL10 Sapo
- FL11 Lantoto
- FL20 Pampas



EBB
EB04 Estuary

Estuary Wash
EB41 Estuary Azure
EB42 Estuary Emerald

Flatlands
FL10 Sapo
FL20 Pampas



EBB - Estuary Wash
EB44 Estuary Sunset

Flatlands
FL22 Kedu

Carpet Tile
EcoSoft Carpet Tile Stock Program

EBB - Estuary Wash



Estuary
EB 04



Estuary
Azure
EB 41



Estuary
Emerald
EB 42



Estuary
Sand
EB 43



Estuary
Sunset
EB 44

Flatlands



Pampas
FL 20



Sapo
FL 10



Lantoto
FL 11



Kedu
FL 22

EBB - Estuary Wash

Flatlands and EBB / EBB-Wash are also available made to order as 2m-wide Megaplank® EcoSoft® for Education and wall to wall spaces.

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.0 mm.
TOTAL CARPET WEIGHT	2,820 gm/sq.m. for EcoSoft™

BACKING STRUCTURE	EcoSoft™, Recycled Cushion Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Flatlands

CONSTRUCTION	Tufted High-Low Loop
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/10 inch
PILE HEIGHT	3.0 - 4.0 mm.
TOTAL CARPET WEIGHT	2,880 gm/sq.m. for EcoSoft™

BACKING STRUCTURE	EcoSoft™, Recycled Cushion Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information



An aerial photograph of ocean waves, showing the intricate patterns of white foam and deep blue water. A semi-transparent white rectangular box is overlaid on the center of the image, containing text. To the right of the main image, there is a vertical strip of a dark, textured material, possibly a fabric or carpet, with a fine, repeating pattern.

Over the Ocean

Breaking Waves Collection

The Breaking Waves Collection offers high performance and great value in sophisticated ocean-inspired designs.

Over the Ocean was inspired by the movement of currents and reflected light on the surface of the water as seen from the air. This organic design can be used independently or as a coordinate with Flatlands to enhance the interior environment.

**OVER THE OCEAN AND FLATLANDS COORDINATE TOGETHER
PERFECTLY TO GIVE FLEXIBILITY TO HIGHLIGHT AREAS FOR
DIFFERENT USES.**

Over the Ocean
OC05 Grey Seal
OC08 Seashell

Flatlands
FL23 Harrat



Over the Ocean
OC05 Grey Seal
OC09 Rockaway
OC10 Seagrass



Over the Ocean
OC08 Seashell
OC10 Seagrass

Flatlands
FL09 Ruma





Over the Ocean
OC 06 Black Pearl
OC 08 Seashell
OC 10 Seagrass

Flatlands
FL 10 Sapo
FL 11 Lantoto



Over the Ocean
OC02 Gulf Stream
OC03 Blue Whale
OC05 Grey Seal
OC06 Black Pearl



Over the Ocean
OC03 Blue Whale

Flatlands
FL16 Katavi



Over the Ocean
 OC08 Seashell
 OC09 Rockaway

Flatlands
 FL09 Ruma
 FL23 Harrat

Carpet Tile
 EcoSoft Carpet Tile Stock Program

Over the Ocean



Gulf Stream
 OC 02



Blue Whale
 OC 03



Grey Seal
 OC 05



Black Pearl
 OC 06



Seashell
 OC 08



Rockaway
 OC 09



Seagrass
 OC 10

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft®, Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	Stain and Soil Protection
TUFTING GAUGE	1/12 inch	TILE SIZE	25 x 100 cm.
PILE HEIGHT	3.0 - 5.5 mm.	BACKING OPTIONS AND SIZE	Contact your sales representative for information
TOTAL CARPET WEIGHT	2,895 gm/sq.m. for EcoSoft®		




Breathe

On average we humans breathe around 20,000 times every day . . . That's a lot of Oxygen in, and a lot of CO2 out. Carpets Inter brings you Breathe, a modular carpet tile collection in two designs Inhale and Exhale that work together as instinctively as breathing...



archiproducts[®]
DESIGN AWARDS
2022





Inhale
IN13 Air




Inhale
IN06 Atmosphere
IN07 Incense




Carpet Tile
EcoSoft Carpet Tile Stock Program


Breathe - Inhale




Atmosphere
IN06




Incense
IN07




Scent
IN08



Fragrance
IN09



Aroma
IN11




Air
IN13

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.0 mm.
TOTAL CARPET WEIGHT	3,000 gm/sq.m. for EcoSoft

BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	50 x 50 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.



INSPIRED FLOORING SINCE 1962.

Jacobsen[®] | **Carpets Inter[®]**

Talk to one of our experts, or visit our website:

0800 800 460 | customer.services@jacobsen.co.nz | jacobsen.co.nz